

DALVT-1803



DALVT-1803TP



DALVT-1818







DALVT-1818TP



LED BULB SERIES / LED ŽARULJE

LED CANDLE BULB SERIES

| MODEL No. | DALVT-1803 | DALVT-1803TP | DALVT-1818 | DALVT-1818TP |
|-------------------|--|--|---|--|
| SKU Code | 4087 6000K White 4081 3000K Warmwhite 4135 4500K Daywhite | N/A 6000K White 4082 3000K Warmwhite 4170 4500K Daywhite | 4122 6000K White 4216 3000K Warmwhite 4166 4500K Daywhite | N/A 6000K White 4116 3000K Warmwhite 4156 4500K Daywhite |
| WATTS | 3W | 3W | 4W | 4W |
| EQ. Watts | 25W | 25W | 30W | 30W |
| Voltage/Frequency | AC: 220-240V, 50Hz | AC: 220-240V, 50Hz | AC: 220-240V, 50Hz | AC: 220-240V, 50Hz |
| Luminous Flux | 250 lm | 250 lm | 350 lm | 350 lm |
| Commercial Type | Candle | Candle Flame | Candle | Candle Flame |
| Led Type | SMD | SMD | SMD | SMD |
| CRI | > 80 | > 80 | > 80 | > 80 |
| PF | > 0.4 | > 0.4 | > 0.4 | > 0.4 |
| Beam Angle | 180'D | 180'D | 180'D | 220'D |
| Base | E14 | E14 | E14 | E14 |
| Body type | Plastic Clad Aluminum | Plastic Clad Aluminum | Plastic Clad Aluminum | Plastic Clad Aluminum |
| Dimension |  37mm x 102mm |  37mm x 117mm |  37mm x 102mm |  37mm x 117mm |

DALVT-1832TP



DALVT-1865






DALVT-1858



LED BULB SERIES / LED ŽARULJE

LED CANDLE BULB SERIES

| MODEL No. | DALVT-1832TP | DALVT-1865 | DALVT-1858 |
|-------------------|--|--|--|
| SKU Code | N/A 6000K White 4165 3000K Warmwhite 4167 4500K Daywhite | N/A 6000K White 4231 3000K Warmwhite N/A 4500K Daywhite | N/A 6000K White 4218 3000K Warmwhite N/A 4500K Daywhite |
| WATTS | 4W | 4W | 4W |
| EQ. Watts | 30W | 30W | 30W |
| Voltage/Frequency | AC: 220-240V, 50Hz | AC: 170-240V, 50Hz | AC: 170-240V, 50Hz |
| Luminous Flux | 320 lm | 320 lm | 300 lm |
| Commercial Type | Candle Flame | Candle | Candle |
| Led Type | SMD | SMD | SMD |
| CRI | > 80 | > 80 | > 80 |
| PF | > 0.4 | > 0.4 | > 0.4 |
| Beam Angle | 270'D | 200'D | 220'D |
| Base | E14 | B22 | B15 |
| Body type | Plastic Clad Aluminum | Plastic Clad Aluminum | Plastic Clad Aluminum |
| Dimension |  38mm x 131mm |  38mm x 107mm |  38mm x 107mm |

DALVT-1854D



DALVT-1855







DALVT-1856D



DALVT-1857



LED BULB SERIES / LED ŽARULJE LED CANDLE BULB SERIES

| MODEL No. | DALVT-1854D | DALVT-1855 | DALVT-1856D | DALVT-1857 |
|-------------------|--|--|--|--|
| SKU Code | N/A 6000K White 4213 3000K Warmwhite N/A 4500K Daywhite | N/A 6000K White 4215 3000K Warmwhite N/A 4500K Daywhite | N/A 6000K White 4214 3000K Warmwhite N/A 4500K Daywhite | N/A 6000K White 4217 3000K Warmwhite N/A 4500K Daywhite |
| WATTS | 5W | 5W | 5W | 5W |
| EQ. Watts | 30W | 30W | 30W | 30W |
| Voltage/Frequency | AC: 220-240V, 50Hz | AC: 220-240V, 50Hz | AC: 220-240V, 50Hz | AC: 220-240V, 50Hz |
| Luminous Flux | 490 lm | 490 lm | 490 lm | 490 lm |
| Commercial Type | Candle | Candle | Candle | Candle |
| Led Type | SMD | SMD | SMD | SMD |
| CRI | > 80 | > 80 | > 80 | > 80 |
| PF | > 0.5 | > 0.5 | > 0.5 | > 0.5 |
| Beam Angle | 180'D | 180'D | 180'D | 180'D |
| Base | E14 | E14 | B15 | B15 |
| Body type | Plastic | Plastic | Plastic | Plastic |
| Dimension |  37mm x 103mm |  37mm x 103mm |  37mm x 103mm |  37mm x 103mm |

DALVT-1880



DALVT-1819



DALVT-1872







DALVT-1879



LED BULB SERIES / LED ŽARULJE

P45/G45 SERIES

| MODEL No. | DALVT-1880 | DALVT-1819 | DALVT-1872 | DALVT-1879 |
|-------------------|---|---|--|---|
| SKU Code | 4252 6000K White 4250 3000K Warmwhite 4251 4500K Daywhite | 4124 6000K White 4123 3000K Warmwhite 4174 4500K Daywhite | N/A 6000K White 4232 3000K Warmwhite N/A 4500K Daywhite | 4249 6000K White 4247 3000K Warmwhite 4248 4500K Daywhite |
| WATTS | 6W | 4W | 4W | 6W |
| EQ. Watts | 30W | 30W | 30W | 30W |
| Voltage/Frequency | AC: 100-240V, 50Hz | AC: 220-240V, 50Hz | AC: 170-240V, 50Hz | AC: 100-240V, 50Hz |
| Luminous Flux | 450 lm | 300 lm | 320 lm | 450 lm |
| Commercial Type | P45 | P45 | G45 | G45 |
| Led Type | SMD | SMD | SMD | SMD |
| CRI | > 80 | > 80 | > 80 | > 80 |
| PF | > 0.5 | > 0.4 | > 0.4 | > 0.4 |
| Beam Angle | 120'D | 160'D | 200'D | 200'D |
| Base | E14 | E14 | B22 | E27 |
| Body type | Plastic Clad Aluminum | Plastic Clad Aluminum | Plastic Clad Aluminum | Plastic Clad Aluminum |
| Dimension |  45mm x 80mm |  45mm x 80mm |  45mm x 74mm |  45mm x 74mm |

DALVT-1828



DALVT-1828



DALVT-1853



DALVT-1864



LED BULB SERIES / LED ŽARULJE

A60 SERIES

| MODEL No. | DALVT-1828 | DALVT-1828 | DALVT-1853 | DALVT-1864 |
|-------------------|---|---|---|---|
| SKU Code | 4212 6000K White 4210 3000K Warmwhite 4211 4500K Daywhite | 4176 6000K White 4175 3000K Warmwhite 4197 4500K Daywhite | 4227 6000K White 4209 3000K Warmwhite 4226 4500K Daywhite | 4230 6000K White 4228 3000K Warmwhite 4229 4500K Daywhite |
| WATTS | 7W | 7W | 10W | 12W |
| EQ. Watts | 40W | 40W | 60W | 75W |
| Voltage/Frequency | AC: 220-240V, 50Hz | AC: 220-240V, 50Hz | AC: 220-240V, 50Hz | AC: 100-240V, 50Hz |
| Luminous Flux | 470 lm | 470 lm | 810 lm | 1055 lm |
| Commercial Type | A60 | A60 | A60 | A60 |
| Led Type | SMD | SMD | SMD | SMD |
| CRI | > 80 | > 80 | > 80 | > 80 |
| PF | > 0.5 | > 0.5 | > 0.5 | > 0.5 |
| Beam Angle | 270°D | 270°D | 220°D | 195°D |
| Base | E27 | B22 | E27 | E27 |
| Body type | Plastic Clad Aluminum | Plastic Clad Aluminum | Thermal Plastic | Thermal Plastic |
| Dimension | 60mm x 108mm | 60mm x 108mm | 60mm x 114mm | 60mm x 118mm |

DALVT-1830






DALVT-1827



DALVT-1876



LED BULB SERIES / LED ŽARULJE

| MODEL No. | DALVT-1830 | DALVT-1827 | DALVT-1876 |
|-------------------|---|--|---|
| SKU Code | 4207 6000K White 4160 3000K Warmwhite 4162 4500K Daywhite | 4172 6000K White 4148 3000K Warmwhite 4152 4500K Daywhite | 4246 6000K White 4243 3000K Warmwhite 4138 4500K Daywhite |
| WATTS | 4W | 5W | 6W |
| EQ. Watts | 30W | 30W | 50W |
| Voltage/Frequency | AC: 220-240V, 50Hz | AC: 220-240V, 50Hz | AC: 170-240V, 50Hz |
| Luminous Flux | 300 lm | 350 lm | 355 lm |
| Commercial Type | G45 | A55 | R50 |
| Led Type | SMD | SMD | SMD |
| CRI | > 80 | > 80 | > 80 |
| PF | > 0.5 | > 0.5 | > 0.5 |
| Beam Angle | 180'D | 270'D | 120'D |
| Base | E27 | E27 | E14 |
| Body type | Plastic Clad Aluminum | Plastic Clad Aluminum | Plastic Clad Aluminum |
| Dimension |  45mm x 75mm |  55mm x 108mm |  50mm x 86mm |

DALVT-1810D



DALVT-1842D






DALVT-1842D



LED BULB SERIES / LED ŽARULJE

A60 ALUMINUM SERIES

| MODEL No. | DALVT-1810D <i>Dimmable</i> | DALVT-1842D <i>Dimmable</i> | DALVT-1842D <i>Dimmable</i> |
|-------------------|--|--|--|
| SKU Code | N/A 6000K White 4136 3000K Warmwhite N/A 4500K Daywhite | N/A 6000K White 4178 3000K Warmwhite N/A 4500K Daywhite | N/A 6000K White 4180 3000K Warmwhite N/A 4500K Daywhite |
| WATTS | 10W | 10W | 10W |
| EQ. Watts | 60W | 60W | 60W |
| Voltage/Frequency | AC: 180-250V, 50Hz | AC: 100-240V, 50Hz | AC: 100-240V, 50Hz |
| Luminous Flux | 810 lm | 810 lm | 810 lm |
| Commercial Type | A60 | A60 | A60 |
| Led Type | SMD | SMD | SMD |
| CRI | > 80 | > 80 | > 80 |
| PF | > 0.5 | > 0.5 | > 0.5 |
| Beam Angle | 120'D | 120'D | 120'D |
| Base | E27 | B22 | E27 |
| Body type | Die-Cast Aluminum | Aluminum Clad Plastic | Aluminum Clad Plastic |
| Dimension |  60mm x 118mm |  60mm x 114mm |  60 x 114mm |

DALVT-1810



DALVT-1810






DALVT-1842



LED BULB SERIES / LED ŽARULJE

A60 ALUMINUM SERIES

| MODEL No. | DALVT-1810 | DALVT-1810 | DALVT-1842 |
|-------------------|--|--|--|
| SKU Code | 4085 6000K White 4078 3000K Warmwhite 4132 4500K Daywhite | 4104 6000K White 4103 3000K Warmwhite 4143 4500K Daywhite | N/A 6000K White 4179 3000K Warmwhite 4199 4500K Daywhite |
| WATTS | 10W | 10W | 10W |
| EQ. Watts | 60W | 60W | 60W |
| Voltage/Frequency | AC: 180-250V, 50Hz | AC: 180-250V, 50Hz | AC: 100-240V, 50Hz |
| Luminous Flux | 810 lm | 810 lm | 810 lm |
| Commercial Type | A60 | A60 | A60 |
| Led Type | SMD | SMD | SMD |
| CRI | > 80 | > 80 | > 80 |
| PF | > 0.5 | > 0.5 | > 0.5 |
| Beam Angle | 120'D | 120'D | 190'D |
| Base | E27 | B22 | E27 |
| Body type | Aluminum | Aluminum | Aluminum |
| Dimension |  60mm x 118mm |  60mm x 118mm |  60mm x 114mm |

DALVT-1842



DALVT-1851






DALVT-1852



LED BULB SERIES / LED ŽARULJE

A60/A80 SERIES

| MODEL No. | DALVT-1842 | DALVT-1851 | DALVT-1852 |
|-------------------|--|--|--|
| SKU Code | N/A 6000K White N/A 3000K Warmwhite 4198 4500K Daywhite | 4194 6000K White 4245 3000K Warmwhite 4193 4500K Daywhite | 4196 6000K White N/A 3000K Warmwhite 4195 4500K Daywhite |
| WATTS | 10W | 20W | 20W |
| EQ. Watts | 60W | 110W | 110W |
| Voltage/Frequency | AC: 100-240V, 50Hz | AC: 180-240V, 50Hz | AC: 180-240V, 50Hz |
| Luminous Flux | 806 lm | 1700 lm | 1700 lm |
| Commercial Type | A60 | A80 | A80 |
| Led Type | SMD | SMD | SMD |
| CRI | > 80 | > 80 | > 80 |
| PF | > 0.5 | > 0.5 | > 0.5 |
| Beam Angle | 190'D | 120'D | 120'D |
| Base | B22 | E27 | B22 |
| Body type | Aluminum | Aluminum | Aluminum |
| Dimension |  60mm x 114mm |  80mm x 136mm |  80mm x 136mm |

DALVT-1821



DALVT-1822







DALVT-1861



DALVT-1862



LED BULB SERIES / LED ŽARULJE REFLECTOR SERIES

| MODEL No. | DALVT-1821 | DALVT-1822 | DALVT-1861 | DALVT-1862 |
|-------------------|---|--|--|--|
| SKU Code | N/A 6000K White N/A 3000K Warmwhite 4138 4500K Daywhite | N/A 6000K White 4158 3000K Warmwhite 4159 4500K Daywhite | N/A 6000K White 4219 3000K Warmwhite 4220 4500K Daywhite | 4244 6000K White 4221 3000K Warmwhite 4140 4500K Daywhite |
| WATTS | 6W | 8W | 3W | 8W |
| EQ. Watts | 35W | 35W | 35W | 35W |
| Voltage/Frequency | AC: 220-240V, 50Hz | AC: 220-240V, 50Hz | AC: 170-240V, 50Hz | AC: 170-240V, 50Hz |
| Luminous Flux | 470 lm | 600 lm | 210 lm | 320 lm |
| Commercial Type | R50 | R63 | R39 | R63 |
| Led Type | SMD | SMD | SMD | SMD |
| CRI | > 80 | > 80 | > 80 | > 80 |
| PF | > 0.4 | > 0.5 | > 0.4 | > 0.5 |
| Beam Angle | 125°D | 120°D | 120°D | 120°D |
| Base | E14 | E27 | E14 | E27 |
| Body type | CERAMICS | CERAMICS | Plastic Clad Aluminum | Plastic Clad Aluminum |
| Dimension |  50mm x 90mm |  63mm x 105mm |  39mm x 67mm |  63mm x 100mm |

DALVT-1844



DALVT-1845



DALVT-1847







DALVT-1848



LED BULB SERIES / LED ŽARULJE

GLOBE SERIES

| MODEL No. | DALVT-1844 | DALVT-1845 | DALVT-1847 | DALVT-1848 |
|-------------------|---|---|---|--|
| SKU Code | 4183 6000K White 4181 3000K Warmwhite 4182 4500K Daywhite | 4186 6000K White 4184 3000K Warmwhite 4185 4500K Daywhite | 4189 6000K White 4187 3000K Warmwhite 4188 4500K Daywhite | 4192 6000K White 4190 3000K Warmwhite 4191 4500K Daywhite |
| WATTS | 15W | 15W | 13W | 13W |
| EQ. Watts | 85W | 85W | 75W | 75W |
| Voltage/Frequency | AC: 100-240V, 50Hz | AC: 100-240V, 50Hz | AC: 100-240V, 50Hz | AC: 100-240V, 50Hz |
| Luminous Flux | 1250 lm | 1250 lm | 1050 lm | 1050 lm |
| Commercial Type | G120 | G120 | G95 | G95 |
| Led Type | SMD | SMD | SMD | SMD |
| CRI | > 80 | > 80 | > 80 | > 80 |
| PF | > 0.5 | > 0.5 | > 0.5 | > 0.5 |
| Beam Angle | 200'D | 200'D | 200'D | 200'D |
| Base | E27 | B22 | E27 | B22 |
| Body type | Plastic clad aluminum | Plastic clad aluminum | Plastic clad aluminum | Plastic clad aluminum |
| Dimension |  120mm x 156mm |  120mm x 156mm |  95mm x 133mm |  95mm x 133mm |